



Notified body N° 0075

EC-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EC-type examination in accordance with the article 10 of the PPE Directive (89/686/EEC) and has been shown to satisfy the relevant provisions of the Directive.

Certificate N°

0075/1821/162/08/13/0832

Is given to the following model of personal protective equipment :

Issued to : SGT SANAYI VE TICARI URUNLER A.S.

KAHRAMANLAR CADDESİ 9 EYLUL MAHALLESİ NO.39 35410
GAZIEMİR, IZMİR, TURKEY
TURKEY

Distributor : /

Product reference : H2

Description :

PPE Type : *Protective gloves against mechanical risks.*

Reference standard : *EN 388 : 2003.*

Category : *II*

Full description of the PPE, reference rules verified in the context of the EC-type examination and information given on the product are detailed in the complete certificate.

Issued in Lyon by Lionel Gaudillere
Head of CE marking

Date of issue : August 21th, 2013



In application of the Directive ref 89/686/EEC of the 21th December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decree N°92-765, 766 and 768 of the 29th July 1992 concerning the transposition of this Directive into French law. CTC is notified by decree of the Ministry of work of the 20th December 2010 and is registered under the number 0075 in OJEU.



4 rue Hermann Frenkel 69367 Lyon cedex 07 FRANCE
Tel : 33 472 761 010 - Fax : 33 472 761 000 - email : ctclyon@ctcgrupe.com - www.ctc.fr
Comité professionnel de développement économique cuir chaussure maroquinerie
Siret 77564972600160 - code NAF 9412Z - TVA FR 88775649726





In application of the Directive ref. 89/686/EEC of the 21st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29th of July 1992 concerning the transposition of this Directive into French law,

CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20th of December 2010,

registered under the number 0075, published in OJEC, delivers :

CE TYPE EXAMINATION CERTIFICATE 0075/1821/162/08/13/0832

To the following model of personal protective equipment :

* protective glove against mechanical risks.

* reference of the model : H2

* responsible for placing on the market :

SGT SANAYI VE TICARI URUNLER A.S.
KAHRAMANLAR CADDESİ 9 EYLUL MAHALLESİ NO.39 35410 GAZIEMİR, IZMİR,
TURKEY
TURKEY

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on August 21th, 2013

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : H2

Basic Model

Dated : August 2013

rough palm heavy duty rubber glove

Available sizes :

11(XL)

Visual description :



Material :

	Colour	Material	Gauges	Thikness
PALM	black	latex rubber		0.90mm
BACK	black	latex rubber		0.90mm
LINING				
CUFF	black	latex rubber		0.45mm
BINDING	yellow(back side of cuff)	latex rubber		

2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- * EN 420:2003+A1:2009 - General requirements for gloves and test methods
- * EN 388:2003 - Protective glove against mechanical risks
- * At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60203R-11,SH60202R-11		SH60202R-11,D130708778
Azo	SH60202R-11		
EN 388	SH60203R-11,SH60288-11		

Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
3	1	2	1

The levels of performance have been measured on the palm

3. MARKING

Each glove is clearly marked with the following information:

- * Logo of the authorized representative:
- * **CE** marking
- * reference of the model: H2
- * size
- * pictogram for mechanical risks followed by the performance levels
- * information pictogram

Marking example:



SGT SANAYI VE TICARI URUNLER A.S.

MANUFACTURER'S TECHNICAL FILE

Reference of the product	:	H2
Technical file index	:	01
Last update	:	August 2013

IDENTIFICATION

Reference of the product : H2
Technical file index : 01
Last update : August 2013

CE Type Examination Applicant :

SGT SANAYI VE TICARI URUNLER A.S.

KAHRAMANLAR CADDESİ 9 EYLUL MAHALLESİ NO.39 35410 GAZIEMİR, IZMİR,
TURKEY

TURKEY

tel : 0090-232-2515189

fax : 0090-232-2515812

Manufacturer :

Yangjiang Xingli Plastic Products Co., Ltd.

No. 1 Jinjiao Road, Pingjiao Industrial Zone, Yangjiang, Guangdong

China

tel: +86 662 2816213

fax: +86 662 2819723

Distributor :

/

GLOVE DESCRIPTION

Glove description :

rough palm heavy duty rubber glove

Visual description:



Available sizes :

Minimum length of glove (mm)	Sizes
550	11(XL)

Glove constitution :

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
PALM		black	latex rubber			0.90mm
BACK		black	latex rubber			0.90mm
LINING						
CUFF		black	latex rubber			0.45mm
BINDING		yellow(back side of cuff)	latex rubber			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity : 3

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388 : 2003

Protection offered	Performance levels
Abrasion resistance	3
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1

TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420	SH60203R-11,SH60202R-11		SH60202R-11,D130708778
Azo	SH60202R-11		
EN 388	SH60203R-11,SH60288-11		

MARKING - PACKAGING

Information printed on the glove :

Logo of the authorized representative :

Logo 

Glove's reference : H2

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

Marking example :



Method of marking on the glove :

ink printing on sleeve of gloves

Packaging :

one pair in a polybag

MEANS OF CONTROL

- 1.preparation of batch: ensure high quality natural latex through choosing good suppliers to avoid problem from raw material;
- 2.R&D lab pilot run phase: during the develop procedure, we will submit samples for testing EN388 to see if physical property can meet requirement or not. If not, we should improve it in order that it's no problem for EN388;
- 3.production lines running: samples were taken out randomly to check and see whether meet a criterion of EN374-2. and factory QC will check every pair of glove according to factory's quality manual, and any unacceptable defected gloves will be discarded directly;
- 4.inspection and packing: carry out HG/T2888-1997 and HG/T2584-9 national standards. and QC will perform the final check and final testing after packing.

INSTRUCTION FOR USE

SGT SANAYI VE TICARI URUNLER A.S.

KAHRAMANLAR CADDESİ 9 EYLUL MAHALLESİ NO.39 35410 GAZIEMİR, İZMİR, TURKEY

Glove reference : H2

Available sizes : The marking XL corresponds to the size 11 of EN 420

Glove description :

rough palm heavy duty rubber glove

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE : innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (0075)
4, rue Hermann Frenkel
69367 LYON Cedex 07
FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 3

Moreover, this glove has been designed for the following applications :

Application :

Mechanical hazard - EN 388



3121

Levels of performance



Abrasion resistance	3	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	2	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)

Protection limit :

The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire.

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.